Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	18	eicon.asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/21 17:09
L2	2	"6016512".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/21 18:02
L3	172	dns near5(central or centralize\$2 or centralizing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/21 18:03
L4	90	3 and @ad<"20020225"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/21 18:48
L5	204483	(restrict\$4 or control\$4) near5 access	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/21 18:06
L6	46	4 and 5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/21 18:07
L7	41781	5 same ((domain adj name\$1) or address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/21 18:48
L8	26540	((restrict\$4 or control\$4) near5 access) with ((domain adj name\$1) or address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/21 18:08
L9	164	((restrict\$4 or control\$4) near5 access) with(domain adj name\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/21 18:08
L10	84	9 and @ad<"20020225"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/21 18:11

L11	893	cpe same ((domain adj name\$1) or address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/21 18:11
L12	149	11 and 8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/21 18:11
L13	60	12 and @ad<"20020225"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/21 18:24
L14	8	recursion and 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/21 18:45
L15	0	1 and cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/21 18:48
L16	502	preload\$3 near5 ((domain adj name\$1) or address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/21 18:49
L17	385	16 and @ad<"20020225"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/21 18:49
L18	0	preload\$3 near5 (domain adj name\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/21 18:49
L19	0	preload\$3 with (domain adj name\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/21 18:49
L20	352	load\$3 with (domain adj name\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/21 18:49

		Table 1				
L21	129	load\$3 near5 (domain adj name\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/21 18:49
L22	177	20 and @ad<"20020225"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/21 18:49
L23	6	(pre adj load\$3) with (domain adj name\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/21 18:52
L24	0	(pre adj install\$3) with (domain adj name\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/21 18:52
L25	2	("20020031102").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/21 18:58
L26	1	(CPU OR PROCESSOR) NEAR3 LOAD\$3 NEAR5 (DOMAIN ADJ NAME\$1) NEAR5 CACHE	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/21 18:59
L27	3	LOAD\$3 NEAR5 (DOMAIN ADJ NAME\$1) NEAR5 CACHE	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/21 19:00
L28	16	(PLAC\$3 OR LOAD\$3) WITH(DOMAIN ADJ NAME\$1) NEAR5 CACHE	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/21 19:00
L29	1565	LOAD\$3 NEAR5 ADDRESS\$2 NEAR5 CACHE	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/21 19:01
L30	5	29 SAME DNS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/21 19:01

S1	4714	broadcom.asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/21 17:06
S2 ·	26	unresolved adj2 name\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 12:14
S3	9	unresolved adj2 domain adj name\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 12:14
S4	520	dns adj quer\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 12:14
S5	22	S4 and unresolve\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 12:15